



INVIGORATING NATURAL COLOURS

PRICE LIST OCTOBER 2024

Polycolor
changez de vie...



PURE WHITE

PREMIUM SANS ODEUR

Respirez le bonheur




BLANCHEUR EXCEPTIONNELLE.
HAUTE RÉSISTANCE AU LAVAGE.
RENDEMENT ET DURABILITÉ SUPÉRIEURE.
SANS ODEUR.

CERTIFIÉ AU LABEL MS3 ET ECO LABEL.

CONTENTS

PRICE LIST **2024**



03	ARCHITECTURAL PAINTS
05	PRIMERS & FILLERS
07	WATERPROOFING
08	FLOORING
10	PROTECTION / DECORATION
11	WOOD PROTECTION / RENOVATION
14	METAL
16	AUTOMOTIVE
17	AUXILIARIES / PAINT TOOLS
18	POLYMATCH BASES
20	POLYMATCH TINTERS

INTERIOR & EXTERIOR

PRODUCT NAME	1 L	2.5 L	5 L	10 L	20 L	(M ² /L)	DESCRIPTION
--------------	-----	-------	-----	------	------	---------------------	-------------

POLYCOLOR PURE WHITE PREMIUM

Pure White	185	420	760	1495	2920	12	Premium odourless matt emulsion white paint certified with MS3 and Ecolabel.
------------	-----	-----	-----	------	------	----	--

POLYCOLOR MATT EMULSION

Brilliant White	165	375	670	1360	2595	12	Matt emulsion white paint with good opacity and coverage.
Black	200		795		3085	12	
Pastel Shades	200	450	795		3085	12	Acrylic copolymer paint, having good opacity and coverage with a matt finish which conforms to MS3 : 2010 Class 2 standard. Recommended for interior and exterior use.
Mid Basic Shades	265	625	1160		4570	12	
Basic Shades	355	810	1525		6035	12	
Deep Basic Shades	360	820	1550		6170	12	

NEW POLYCOLOR PROFESSIONAL MATT EMULSION PAINT WHITE

White			595		2300	12	High quality water-based interior paint designed to provide a smooth and flat finish. It offers excellent coverage, durability and washability, making it a popular choice for homeowners and professionals alike.
-------	--	--	-----	--	------	----	--

POLYCOLOR FLAT VINYL

White	150	320	555		2140	10	Low cost acrylic copolymer paint, having good opacity and coverage with a matt finish. Recommended for interior use only.
Pastel Shades	165	370	615		2360	10	
Mid Basic Shades	185	420	730		2890	10	

POLYCOLOR VIP SATIN

White	255		1120		4390	12	Acrylic copolymer paint with Semi gloss finish. Good washability features. Ideal for kitchen and bathroom. Recommended for interior use only
Pastel Shades	270		1180		4600	12	
Mid Basic Shades	360		1630		6455	12	
Basic Shades	440		2030		8045	12	
Deep Basic Shades	455		2090		8305	12	

POLYCOLOR SILK SHEEN

White	260		1130		4380	12	Acrylic paint with smooth silk finish. Easily washable. Interior & exterior in dry region only. Interior in humid region.
Pastel Shades	270		1150		4490	12	
Mid Basic Shades	330		1445		5715	12	
Basic Shades	385		1755		6920	12	
Deep Basic Shades	395		1775		6985	12	

NEW POLYCOLOR POLYTOP ELASTOMERIC

White	270		1220		4760	12	Cost-effective, high-performance coating designed for exterior surfaces using UV curing technology. It offers a combination of flexibility, durability, elongation with good dirt pick up and weathering resistance.
Pastel Shades	285		1275		4990	12	
Mid Basic Shades	350		1570		6200	12	
Basic Shades	425		1895		7480	12	
Deep Basic Shades	435		1930		7640	12	

INTERIOR & EXTERIOR

PRODUCT NAME	1 L	5 L	20 L	(M ² /L)	DESCRIPTION
--------------	-----	-----	------	---------------------	-------------

POLYCOLOR ANTIFUNGUS

White	370	1475	5740	12
Pastel Shades	390	1565	6120	12
Mid Basic Shades	485	1960	7635	12
Basic Shades	585	2335	9125	12
Deep Basic Shades	590	2370	9205	12

Pure acrylic paint with matt finish. Formulated with a good dose of biocide for it to be resistant to fungal growth. Good opacity and coverage which conforms to MS3 : 2010 Class 1 standard.

POLYCOLOR POLYFLON

White	420	1930	7600	12
Pastel Shades	435	1980	7800	12
Mid Basic Shades	525	2390	9500	12
Basic Shades	625	2870	11300	12
Deep Basic Shades	630	2890	11400	12

Pure acrylic paint, having good opacity and coverage with semi-gloss finish. Formulated to enhance water-repellency, water vapour permeability and antiflock characteristics. High dosage of biocides to achieve very good fungal resistance.

POLYCOLOR POLYFLON ELASTOMERIC

White	425	1950	7660	12
Pastel Shades	450	2040	8080	12
Mid Basic Shades	540	2500	9880	12
Basic Shades	630	2900	11500	12
Deep Basic Shades	645	2960	11720	12

High-performance coating specifically designed for exterior surfaces offering combination of flexibility, durability, crack bridging with good dirt pick up resistance. Uses UV curing technology making it an excellent choice for applications where weather resistance and longevity are essential.

NEW POLYCOLOR WEATHERFLEX

White	355	1650	6550	3
Pastel Shades	375	1730	6910	3
Mid Basic Shades	450	2120	8550	3
Basic Shades	525	2460	9950	3
Deep Basic Shades	540	2510	10140	3

Highly durable acrylic anti-carbonation paint with silicon technology. Used as waterproofing for exterior walls offering high flexibility, breathability with water & dust resistance, crack-bridging, weathering durability and excellent fungal resistance.

NEW POLYCOLOR THERMOFLEX

White	400	1840	7200	12-14
-------	-----	------	------	-------

Top quality acrylic based special thermal-insulation paint for external walls and roofs containing special thermos-ceramic nanospheres. It contributes in saving energy in winter and summer and it helps to reduce up to 7°C temperature thereby improving energy efficiency in homes and buildings.

INTERIOR & EXTERIOR

PRODUCT NAME	1 L	5 L	20 L	(M ² /L)	DESCRIPTION
POLYCOLOR ANTIBACTERIAL PAINT					
White	360	1750	6980	12	Low odour coating which guarantees protection against unsightly and unhygienic condensation moulds and potentially pathogenic bacterial growth such as E-coli and Staphylococcus Aureus. Can be used in hospitals, clinical laboratories and pharmaceuticals.
Pastel Shades	370	1775	7070	12	
Mid Basic Shades	445	2100	7930	12	
Basic Shades	555	2605	10085	12	
Deep Basic Shades	575	2700	10460	12	
POLYCOLOR FUNGICIDAL WASH					
	185	715		15	Bleaching agent for cleaning fungi and algae contaminated surfaces.
POLYCOLOR FUNGICIDAL TREATMENT					
	185	715		10	Treatment of surface against fungi and algae prior to painting.
POLYCOLOR POLYCOAT MULTISURFACE PAINT					
White / Black	410	1885	7525	12	Water-based decorative special acrylic paint formulated for adhesion on galvanised metal, ceramic tile, concrete, PVC & glass. Can also be used as primer. Provide very good scrub resistance.
Pastel	420	1925	7635	12	
Mid Basic	490	2285	9070	12	
Basic	565	2625	10385	12	
Deep Basic	570	2650	10505	12	
POLYCOLOR IZY COLOR					
White - Interior & Exterior		580	2090	8	Cost-effective copolymer acrylic paint. Good opacity and coverage. Used on surfaces which are subjected to low wear & tear levels.
White - Interior Only		545	2070	8	

PRIMERS & FILLERS

PRODUCT NAME	1 L	5 L	20 L	(M ² /L)	DESCRIPTION
POLYCOLOR EMULSION CLEAR BINDER					
	195	780	3015	12	Interior & Exterior Alkali resistant clear sealer for good adhesion. To use on powdered and weathered coatings.
POLYCOLOR WALL PRIMER					
Exterior White	220	940	3435	14	Premium quality primer for good adhesion. Excellent sealing properties. When tinted helps improve opacity of finishes.
Exterior Pastel Shades	270	1155	4245	14	
Interior	205	770	2860	14	

PRIMERS & FILLERS

PRODUCT NAME	1 L	5 L	20 L	(M ² /L)	DESCRIPTION
--------------	-----	-----	------	---------------------	-------------

POLYCOLOR WALL PRIMER ELASTOMERIC

White	265	1130	4120	14	Waterbased acrylic elastomeric primer formulated as an undercoat. It bridges hairline cracks in the walls due to its superior elasticity.
-------	-----	------	------	----	---

PRODUCT NAME	1 KG	4 KG	5 KG	25 KG	31.5 KG	(M ² /L)	DESCRIPTION
--------------	------	------	------	-------	---------	---------------------	-------------

TERRACO HANDYCOAT STUCCO PUTTY

Interior	125	450	1650	0.2 - 0.4Kg/m ²	Multi-purpose ready mixed acrylic based filler for interior and exterior skimming, jointing and patching.
Exterior	165	600	2350	0.5 - 1.5Kg/m ²	

TERRACO ACRYLIC CRACK FILLER

	220	800	0.5 - 1.5Kg/m ²	Ready to use, flexible crack filler to use on all common building surfaces. Does not flake off. Interior & exterior use.
--	-----	-----	----------------------------	--

NEW POLYCOLOR WATERPROOFING CRACK FILLER

White	150	700	N/A	High quality crack filler designed to repair and restore cracked surfaces in various applications, including concrete, masonry, and asphalt. Its advanced formulation ensures durability, flexibility and good waterproofing properties.
-------	-----	-----	-----	--

PRODUCT NAME	0.9 KG	4 KG	(M ² /L)	DESCRIPTION
--------------	--------	------	---------------------	-------------

TERRACO TERRA BOND A

	400	1500	Adhesion promoter and primer for masonry surfaces.
--	-----	------	--

PRODUCT NAME	1 L	5 L	20 L	(M ² /L)	DESCRIPTION
--------------	-----	-----	------	---------------------	-------------

NEW POLYCOLOR DURABOND A

	350	1550	6000	Highly concentrated primer/sealer used as bonding agent for all cementitious substrates. Can be used on all exterior and interior surfaces.
--	-----	------	------	---

PRODUCT NAME	1 KG	5 KG	20 KG	30 KG	(M ² /L)	DESCRIPTION
--------------	------	------	-------	-------	---------------------	-------------

WALPLAST HOMESURE WALL PUTTY

White	55	235	725	1.5m ² /Kg	White cement based polymer modified wall putty.
-------	----	-----	-----	-----------------------	---

WALPLAST BUILDWELL COARSE PUTTY

White		990	N/A	White cement based skimcoat to use on concrete surfaces to cover unevenness and pinholes.
-------	--	-----	-----	---

PRIMERS & FILLERS

PRODUCT NAME	20 KG	40 KG	(M ² /L)	DESCRIPTION
WALPLAST HOMESURE PREMIUM PUTTY				
White	910		12-15 sq ft/Kg	Highly water resistant wall putty. Protect paints from flaking, dampening & peeling.
WALPLAST GYPSUM LIGHT WEIGHT PLASTER (PERLITE) - 40 KG				
	1240		4-5m ² / 10mm thickness	Super white light weight gypsum based plaster. High coverage, no shrinkage cracks.

WATERPROOFING

PRODUCT NAME	1 L	5 L	20 L	(M ² /L)	DESCRIPTION
NEW POLYCOLOR FIBRATED WATERPROOFING					
	330	1380	4850	4.2-4.7	High-performance waterproofing paint designed to provide exceptional protection against water intrusion and environmental damage. Advanced formulation combining the strength of fibers with waterproofing compound. Ideal for applications on roofs, basements and exterior walls.
POLYCOLOR WATERPROOF SYSTEM					
	280	1180	4120	10	Highly flexible acrylic based elastomeric waterproofing paint reinforced with polyester membrane.
POLYCOLOR WATERPROOFING KIT (BASE 5L + TERRA BOND A - 100ML + 2.5M CLOTH)					
		1280		2.5m ²	100g of Terrabond A (concentrated primer), 2.5m Polyester Cloth, 5L Polycolor Waterproofing System.
TERRACO FLEXICOAT					
White	360	1730	6450	0.9	One pack elastomeric acrylic waterproof coating for roof.
TERRACO TERRACRETE - ANTICARBONATION COATING (KIT 20KG)					
Grey			2150	10m ² / 1mm coating	2 pack waterproof coating for wet room, walls and floors, roof, general concrete repair.
TERRACO WEATHERCOAT (KIT 20KG)					
Grey			2600	10m ² / 1mm coating	Versatile 2 pack permanent waterproof system for roof, facades, water tanks, swimming pools.
POLYCOLOR POLYESTER CLOTH					
			70/M	N/A	High strength polyester reinforced membrane for use with waterproofing systems.

FLOORING

PRODUCT NAME	1 L	4 L	5 L	20 L	(M ² /L)	DESCRIPTION
--------------	-----	-----	-----	------	---------------------	-------------

POLYCOLOR FLOOR DRESSING

Black / Brown / Terracotta	380		1570		10	Alkyd based floor coating for light traffic areas for interior use on concrete and galvanised floor.
Cement Grey / DB Grey / LB Grey	380		1570		10	
Green / Nutmeg / Red	380		1570		10	
Scarlet	410		1740		10	
Pastel	380		1570	5895	10	
Mid Basic	400		1670	6405	10	
Basic	410		1730	6560	10	
Deep Basic	420		1775	6765	10	

POLYCOLOR CHLORINATED SEALER

	450		2040	8015	10	Based on copolymer vinyl chloride. It is used as a primer on concrete floors. It helps to get good adhesion ability
--	-----	--	------	------	----	---

POLYCOLOR CHLORINATED FLOOR DRESSING

Red / Black / LB Grey / DB Grey	485		2045	8045	10	Protective floor covering paint for medium traffic areas. Has good weathering, and adhesion on concrete floors.
Pastel	490		2195	8715	10	
Mid Basic	600		2790	9890	10	
Basic	675		3200	10660	10	
Deep Basic	690		3240	10865	10	

NEW POLYCOLOR WATER BASED FLOOR DRESSING

White	375		1590	6260	11-12	Water-repellent & fast drying versatile and durable coating for medium traffic area specially formulated to offer excellent resistance to abrasion and chemicals. Ideal for concrete and asphalt runway marking.
Blue	375		1590	6260	11-12	
LB Grey	375		1590	6260	11-12	
DB Grey	375		1590	6260	11-12	
Yellow	375		1590	6260	11-12	
Red	375		1590	6260	11-12	

POLYCOLOR CHLORINATED ROAD MARKING PAINT

White	380		1690	6620	10	Fast drying paint for marking on bituminous and concrete surface. Excellent chemical and weathering resistance. High resistance to abrasion.
Yellow	470		2120	8305	10	
Black	380		1690	6620	10	

POLYCOLOR EPOXY SEALER (Sealer + Hardener)

	975	3370			6	A high performance two-component epoxy sealer to fill in the pores of concrete floors.
--	-----	------	--	--	---	--

NEW POLYCOLOR EPOXY ZINC PHOSPHATE PRIMER (Primer + Hardener)

	880		4170		6-8	High-performance primer formulated with zinc phosphate designed to provide exceptional corrosion resistance & adhesion on a variety of substrates. Offers outstanding protective properties, making it ideal for use in harsh environments, including marine & industrial applications.
--	-----	--	------	--	-----	---

FLOORING

PRODUCT NAME	1 L	4 L	(M ² /L)	DESCRIPTION
POLYCOLOR EPOXY ENAMEL (Paint + Hardener)				
White / Black	975	3370	6	A high performance two-component solvent-based polyamide-cured epoxy enamel offering maximum resistance against abrasion, chemical/solvent attack and water penetration.
Pastel	990	3650	6	
Mid Basic	1015	3855	6	
Basic	1075	4050	6	
Deep Basic	1095	4170	6	
POLYCOLOR EPOXY ENAMEL MATT (Paint + Hardener)				
White / Black	1000	3510	6	A high performance two-component solvent-based polyamide-cured epoxy enamel offering maximum resistance against abrasion, chemical/solvent attack and water penetration.
Pastel	1025	3805	6	
Mid Basic	1060	4040	6	
Basic	1130	4255	6	
Deep Basic	1150	4385	6	

PREPARATION DE SURFACE

PRODUCT NAME	1 L	2.5 L	10 L	(M ² /L)	DESCRIPTION
OWATROL FLOETROL®					
	600		5040	N/A	Additif pour peinture à l'eau. Facilite la glisse.
OWATROL OWATROL® E-B					
	750	1750	6250	6	Additif peinture- fixe les fonds farineux et réduit le risque d'écaillage.
OWATROL EASY SURFACE PREP (E.S.P.®)					
	700			18	Primaire d'accrochage incolore à l'eau. Efficace sur tous les supports lisses.

PROTECTION / DECORATION

PRODUCT NAME	250 ML	1 L	2.5 L	5 L	(M ² /L)	DESCRIPTION
OWATROL OXI - PEINTURE PISCINES ET BASSINS BLEU			4500		6	Protective swimming pool paint with good resistance to UV rays and water treatment products.
OWATROL OXI - PRIMAIRE D'ACCROCHAGE PISCINES ET BASSINS			2950		6	Adherence reinforced primer for use before the swimming pool paint.
POLYDECO VERNIS SATIN (POUR PAILLETES)	250	590	1140			Vernis acrylique pur pour appliquer sur le système paillettes.

PROTECTION / DECORATION DES MÉTAUX

PRODUCT NAME	200 ML	250 ML	400 ML	500 ML	1 L	(M ² /L)	DESCRIPTION
OWATROL TRANSYL®							
	ATO 220		ATO 420		400	N/A	Dégrippant lubrifiant multifonction. Haute technicité et performance.
OWATROL POLYTROL®							
		ATO 400		425		18	Raviveur de teinte pour plastique, métal, pierre. Elimine les piqûres de rouille.
OWATROL SPIRIT SPRAY							
Copper / Bronze / Rust				690		5 - 7	Activateur de cuivre/bronze rouille naturel.
OWATROL REACTIV LEAF							
Copper / Bronze / Rust				1100		5	Peinture réactive à appliquer sur supports non-ferreux.
OWATROL RUSTOL-OWATROL® (OWATROL OIL)							
		300 ML	500 ML	1 L	5 L		
		ATO 450	470	790	3250	18	Protection antirouille, stoppe et stabilise la rouille. Additif pour peintures, vernis et lasures solvétés.

SANDING SEALERS

PRODUCT NAME	1 L	5 L	20 L	200 L	(M ² /L)	DESCRIPTION
POLYBOIS NITRO SANDING SEALER						
	280	1270	4870	46535	15	Fast drying wood sealer with good sanding and grain filling properties.

WOOD VARNISHES

PRODUCT NAME	1 L	5 L	20 L	(M ² /L)	DESCRIPTION
POLYBOIS MARINE VARNISH					
Gloss	295	1280	5010	14	Alkyd based varnish for wood. Good scratch resistance & high gloss.
POLYBOIS ACID CATALYST (Varnish + Hardener)					
Gloss	325	1415	5185	10	Interior. Clear varnish with low odour, quick drying and good scratch resistance.
Satin	350	1530	5675	10	
POLYBOIS NITRO VARNISH					
Gloss	350	1540	5945	10	Interior and exterior. Fast drying NC based clear varnish.
Satin	360	1600	6045	10	

WOODSTAIN

PRODUCT NAME	1 L	5 L	(M ² /L)	DESCRIPTION
POLYBOIS WOODSTAIN				
Teak	330	1435	10	Interior solvent based wood stains for bare wood.
Sapele	330	1435	10	
Brown / Black	330		10	
Dark Oak / Wenge / Prune / Mahogany	330		10	
Yellow / Acajou / Miel Doré	330		10	

SPÉCIAL COMPOSITES

PRODUCT NAME	1 L	(M ² /L)	DESCRIPTION
OWATROL COMPO-CLEAN			
	575	5 - 10	Gel nettoyant dégraissant à l'eau. Spécial composites.
OWATROL COMPOXELL			
Brun	640	15	Finition destinée à la décoration et à la rénovation des terrasses en bois composite.
Gris	640	15	

NETTOYER / DÉCAPER

PRODUCT NAME	1 L	2.5 L	5 L	10 L	(M ² /L)	DESCRIPTION
OWATROL DSP 800	700		2530		1,25 - 4	Décapant universel pour peintures mono et bi-composants.
OWATROL PREPDECK	750	1325			3 - 4	Renovateur 4 en 1 terrasses et bardages décape, dégrise, déglace et déshuile.
OWATROL NET-TROL®	500	1100			5 - 10	Dégriseur neutralisant gélifié - tous bois.
OWATROL AQUANETT®	500	1100	4200			Déshuileur gélifié - tous bois.

STABILISER / PROTÉGER / DÉCORER

PRODUCT NAME	500 ML	1 L	5 L	20 L	(M ² /L)	DESCRIPTION
OWATROL TEAK-OLJE	425	750			10 - 14	Huile pour teck. Protection UV Renforcée.
OWATROL SOLID COLOR STAIN						
Blanc		1050			8 - 10	Finition opaque mate longue durée.
Gris		1050				
Pastel Shade		1120				
Mid Basic Shade		1250				
Deep Basic Shade		1380				
OWATROL D.1 PRO		790	3200		8 - 12	Saturateur bois aspect huilé. Incolore.
OWATROL ANTIGLISS						
Clear		700			10	Protection antidérapante et UV tous bois.
Chene Clair		700				
Teck		700				
OWATROL AQUADECKS						
Movingui		880			10 - 12	Saturateur bois en phase aqueuse aspect mat. Non filmogène. Protection UV renforcée. Ne s'écaille pas. Ne noircit pas.
Teck		880	3350	12100		
Miel		880	3350	12100		
Padouk		880				
Gris vieux bois		880	3350			
Ebène		880				
Gris graphite		880	3350			

STABILISER / PROTÉGER / DÉCORER

PRODUCT NAME	1L	2.5 L	5 L	(M ² /L)	DESCRIPTION
OWATROL TROPITECH® All in One					
Movingui			3800	8 - 10	Protection teintée longue durée et UV renforcée pour terrasse et bardage extérieur. Idéal pour trafic intense.
Cedar			3800		
OWATROL H4 WOOD					
	620	1450		3 - 6	Protection hydrofuge incolore pour le bois. Sans silicone. Permet au bois de griser naturellement.
OWATROL PRIMAFLOOR					
Clear	790			10-15m ² / L	Primer for all new, unfinished or stripped wooden floors. It strengthens the durability of all water based varnishes.
Chêne moyen	790			per coat	

RÉPARER / TRAITER

PRODUCT NAME	500 ML	1L	2.5 L	(M ² /L)	DESCRIPTION
OWATROL TMU 84					
	275	520	1280	6	Traitement multi-usages de préservation des bois. Préventif et curatif.
OWATROL PCD 91					
Kaki		600	1100	5 - 10	Produit de coupe prêt à l'emploi pour bois autoclave.
Vert		600			
OWATROL LIANFLOOR					
		700		N/A	Highly flexible acrylic filler for wood flooring defects such as cracks and holes.

HUILER & MARINE

PRODUCT NAME	1 L	4 L	5 L	(M ² /L)	DESCRIPTION
OWATROL OLÉOFLOOR CLASSIC®					
	1100		4500	15 - 20	Huile avivante haute performance pour trafic intense, protège et embellit les bois intérieurs..
OWATROL VEGAFLOOR					
Matt	950		3950	10 - 12	Vitrificateur polyurethane monocomposant haute performance en phase aqueuse.
Satin	950		3950		
OWATROL ULTIMAFLOOR					
Matt		4500		10 - 12	Vitrificateur polyurethane bicomposant, haute performance, à base d'eau. Résistance mécanique et chimique optimale.
Satin		4500			

NETTOYER / ENTRETENIR

PRODUCT NAME	1 L	15 L	(M ² /L)	DESCRIPTION
OWATROL SPACENETT®	620	20		Nettoyant / dégraisseur professionnel à l'eau tous bois.
OWATROL SOAPCLEAN	600	N/A		Nettoyant dégraissant pour parquets et bois extérieurs.
OWATROL PURA-TROL	750	N/A		Industrial cleaner concentrate suitable for surfaces like cars, boats and engines.

METAL PRIMERS & UNDERCOATS

PRODUCT NAME	250 ML	500 ML	1 L	2 L	5 L	20 L	(M ² /L)	DESCRIPTION
POLYCOLOR RED OXIDE METAL PRIMER	110	175	290	560	1280	5085	10	General purpose metal primer with good anticorrosive properties.
POLYCOLOR GALVA PRIMER	125	195	335	615	1435	5770	10	Good anticorrosive primer for galvanised steel.
POLYCOLOR ETCH PRIMER (2 PACK PRIMER + ACTIVATOR)	195	355			1590		10	Primer based on Polyvinyl butyral resin formulated to give a good first adhesive coat on galvanized substrate and corrosion protection.
POLYCOLOR ALKYD UNDERCOAT	115	175	295	565	1310	5125	10	For use under Alkyd topcoats. Good filling properties.
POLYCOLOR CHLORINATED ZINC PHOSPHATE PRIMER			450		2020	7955	10	Anticorrosive primer for structural steel based on plasticised chlorinated rubber and pigmented with rust inhibiting pigment.
PRODUCT NAME	750 ML	1 L	(M ² /L)	DESCRIPTION				
OWATROL OWATROL C.I.P	780			Rust inhibiting penetrating primer for overcoating without paint.				
OWATROL OWAPHOS		575		Rust remover and passivator for ferrous and non-ferrous metals, galvanised and zinc coated surfaces.				
OWATROL OWATROL GLV	970			Anticorrosive galva look coating with long lasting properties.				

METAL PRIMERS & UNDERCOATS

PRODUCT NAME	1 L	5 L	20 L	(M ² /L)	DESCRIPTION
POLYCOLOR WATER-BASED METAL PRIMER					
Red / Grey	355	1510	5945	10	An anti-corrosive water-borne primer which has excellent anti-corrosion and adhesion properties. Suitable for priming for ferrous and non-ferrous metals.

METAL FINISHES

PRODUCT NAME	250 ML	500 ML	1 L	2 L	5 L	20 L	(M ² /L)	DESCRIPTION
POLYCOLOR GLOSS ENAMEL								
White	115	180	315	605	1385	5565	10	Interior & exterior Alkyd based gloss finish for wood and metal.
Black	115	180	315	605	1385	5565	10	
Bright Gold	205	360	665				10	
Pastel Shades	120	190	330	630	1435	5730	10	
Mid Basic Shades	130	215	385	740	1700	6640	10	
Basic Shades	145	245	430	810	1980	7780	10	
Deep Basic Shades	155	260	460	870	2060	8180	10	

POLYCOLOR MATT ENAMEL PAINT								
White			355		1475	5840	10	Interior & exterior Alkyd based matt finish for wood and metal.
Black	130	220	355		1475	5840	10	
Pastel Shades			390		1495	5935	10	
Mid Basic Shades			440		1785	7105	10	
Basic Shades			480		2040	8230	10	
Deep Basic Shades			485		2055	8285	10	

PRODUCT NAME	1 L	5 L	20 L	(M ² /L)	DESCRIPTION
POLYCOLOR EGG SHELL ENAMEL					
White & Black	340	1465	5740	10	Interior & exterior Alkyd based semi-satin finish for wood and metal.
Pastel Shades	350	1505	5905	10	
Mid Basic Shades	405	1795	7070	10	
Basic Shades	455	2065	8140	10	
Deep Basic Shades	460	2090	8240	10	

POLYCOLOR CHLORINATED PAINT FOR METAL					
White & Black	525	2360	9390	10	Good quality, high gloss, very hard wearing and chemically resistant paint with excellent chemical and abrasion resistance. Suitable for use in industrial and marine environments.
Pastel Shades	525	2360	9400	10	
Mid Basic Shades (subject to availability)	575	2665	10660	10	
Basic Shades	615	2970	11970	10	
Deep Basic Shades	625	3005	12055	10	

PRODUCT NAME	250 ML	500 ML	1 L	5 L	(M ² /L)	DESCRIPTION
POLYCOLOR GP ALUMINIUM						
	140	220	400	1845	15	Aluminium paint for wood and metal.

UNDERCOATS

PRODUCT NAME	250 ML	1 L	2 L	3.8 L	4 L	5 L	20 L	DESCRIPTION
POLYTOL POLYESTER CAR BODY FILLER								
		340	620		1100			Car body repair putty.
POLYTOL NC STOPPER								
White / Brown		170	500					Putty for repair of fine surface defects.
POLYTOL NITRO PRIMER FILLER								
White / Grey		345		1200		1610	6325	Quick drying primer with good sanding and filling properties.

TOPCOATS & CLEARCOATS

PRODUCT NAME	1 L	3.8 L	5 L	20 L	DESCRIPTION
POLYTOL NITROCELLULOSE PAINT					
White (NPA 010)	370	1340	1690	6500	Fast drying NC based paints with good weather resistance for use on metallic and wooden surfaces.
White Satin (NPA 011)	490	1835	2305	8805	
Lemon Yellow (NPA 020)	550	2020	2585		
Chrome Yellow (NPA 024)	615	2175	2840		
Yellow Oxide Transparent (NPA 026)	615	2175	2840		
Yellow Oxide (NPA 030)	550	2020	2585		
Red Oxide Transparent (NPA 032)	615	2175	2840		
Red Oxide (NPA 050)	550	2020	2585		
Maroon Toner (NPA 054)	820	2960	3825		
Violet (NPA 056)	820	2960	3825		
Bright Red (NPA 059)	820	2960	3825		
Aluminium - Fine (NPA 155)	550	2020	2585		
Aluminium - Coarse (NPA 165)	550	2020	2585		
Green Toner (NPA 060)	550	2020	2585		
Blue Toner (NPA 071)	550	2020	2585		
Black (NPA 090)	370	1340	1690	6500	
Black Matt (NPA 093)	490	1835	2305	8805	
Bright Gold	605		2840	11070	
APS Pastel	615	2175	2840	11150	
APS Basic	755	2730	3585	13950	
APS Aluminium	615				

SOLVENTS & THINNERS

PRODUCT NAME	1 L	5 L	20 L	200 L	205 L	225 L	DESCRIPTION
POLYTOL THINNER							
Aromatic Thinner	235	1005	3740		29000		For dilution and cleaning purposes of specified paints.
White Spirit	160	670	2680	19000			
Polytol Standard NC Thinner*	195	860				22035	
Degreasing Thinner	205	900	3565				
Epoxy Thinner	300	1200					
POLYTOL UNIVERSAL MATTING AGENT							
	430	1970					Used to matt NC paints.
POLYTOL RUST REMOVER							
	195	820					Acid based solution for removing and converting rust.

ADHESIVES

PRODUCT NAME	125 GM	250 GM	500 GM	1 KG	5 KG	DESCRIPTION
NEW VAMICOL ALL ROUNDER LV						
	30	50	90	180	790	Water based multi-purpose wood adhesive with excellent bonding strength. Ready to use adhesive for all wood working application.

PAINT BRUSHES & ROLLERS

PRODUCT NAME	25 MM	50 MM	75 MM	100 MM	150 MM	DESCRIPTION
POLYTOL PAINT BRUSH						
	35	50	86	115	250	
PRODUCT NAME						DESCRIPTION
POLYTOL ROLLER BRUSH SET 9" (12PCS TRAY)						
						490
POLYTOL ROLLER WOOVEN (POLYESTER) 9"						
						70
POLYTOL STICK FRAME / HANDLE - 8MM ZINC PLATED, SIZE 9"						
						80
POLYTOL EXTENSION POLE - IRON 2 SECTION 2 METER						
						120

* NC Thinner prices are subject to change without notice.

PRICE LIST OCTOBER 2024. ALL PRICES ARE EXCLUSIVE OF VAT.

COLOUR CARDS

		DESCRIPTION
POLYCOLOR	1080 COLOURS 'COLOR SYMPHONY'	
		2500

POLYMATCH BASES (NOT TINTED)

PRODUCT NAME	1 L	2.5 L	5L	20 L	DESCRIPTION
MATT EMULSION					
W0	165	385	645	2460	Acrylic matt paint for interior & exterior use.
W3	160	380	635	2430	
W1	160	380	635	2430	
N	155	370	620	2400	
FLAT VINYL					
W0	145	340	555	2140	Emulsion paint for interior use and ceiling.
W3	135	325	540	2050	
VIP SATIN					
W0	230		985	3845	Acrylic paint with semi gloss finish. Easily washable, ideal for kitchen and bathrooms. For interior use.
W1	220		950	3720	
N	205		900	3525	
SILK SHEEN					
W0	265		1085	4305	Acrylic paint with smooth silk finish. Easily washable. For interior & exterior use in dry region. In humid region interior only.
W1	260		1015	4060	
N	255		940	3845	
ANTIFUNGUS					
W0	320		1280	5025	Exterior acrylic paint for humid regions with maximum resistance against fungus.
W1	315		1255	4920	
N	310		1225	4820	
POLYCOAT MULTISURFACE PAINT					
W0	390		1795	7125	Water-based decorative special acrylic paint formulated for adhesion on galvanised metal, ceramic tile, concrete, PVC & glass. Can also be used as primer. Provide very good scrub resistance.
W1	380		1755	6970	
N	375		1690	6715	

POLYMATCH BASES (NOT TINTED)

PRODUCT NAME	250 ML	500 ML	1 L	2 L	5L	20 L	DESCRIPTION
GLOSS ENAMEL							
W0	105	165	280	555	1220	4795	Interior & exterior alkyd based gloss finish for wood and metal
W1	95	160	275	535	1190	4675	
N	90	150	260	515	1150	4550	

EGGSHELL ENAMEL							
W0			295		1270	4980	Interior & exterior alkyd based semi satin finish for wood and metal
W1			290		1245	4860	
N			280		1205	4740	

PRODUCT NAME			1 L	5L	20 L	DESCRIPTION
CHLORINATED FLOOR DRESSING						
W1			410	1945	7360	Chlorinated rubber floor covering paint for medium traffic areas.
N			380	1740	6570	

FLOOR DRESSING						
W1			285	1310	4870	Alkyd based floor covering paint for light traffic areas.
N			270	1180	4355	

NEW	POLYTOP ELASTOMERIC						
W0			205	1020	3995	Cost-effective, high-performance coating designed for exterior Surfaces using UV curing technology. It offers a combination of flexibility, durability, elongation with good dirt pick up and weathering resistance.	
W1			200	1000	4715		
N			195	920	3620		

POLYFLON						
W0			330	1480	5820	Exterior water-repellant acrylic coating. Highly washable with fungal resistance. Recommended for rainy regions.
W1			315	1420	5690	
N			310	1390	5510	

POLYFLON ELASTOMERIC						
W0			330	1510	5980	Highly flexible pure acrylic based exterior coating with excellent resistance against extreme climatic conditions. Capable of bridging shrinkage cracks on concrete mortars. It is also water repellent.
W1			320	1480	5850	
N			310	1440	5740	

NEW	WEATHERFLEX						
W0			280	1280	5175	Highly durable acrylic anti-carbonation paint with silicon technology. Used as waterproofing for exterior walls offering high flexibility, breathability with water & dust resistance, crack-bridging, weathering durability and excellent fungal resistance.	
W1			270	1255	5065		
N			260	1220	4970		

POLYMATCH TINTERS

PRODUCT NAME	1 L	DESCRIPTION
BC - Concentrated Blue	1750	Tinters to be used in bases for the Polymatch system
BF - Diluted Blue	540	
BR - Tinting Black	480	
GC - Concentrated Green	680	
GF - Diluted Green	825	
LM - greenish Yellow	1900	
MG - Magenta	2400	
NS - Medium Yellow	810	
NT - Concentrated Black	395	
OC - Ochre	760	
OR - Reddish Yellow	1760	
RD - Bright Red Interior	1160	
RE - Bright Red Exterior	2720	
SP - Oxide Red	825	
VB - Red Violet	825	
WT - White	1195	

Paint Perfection: Quality You Can Afford

Discover our range of new products





OWATROL
TRAVERSER LE TEMPS



PRODUIT 100%
**MADE IN
FRANCE**

SOLUTION EFFICACE ET DURABLE POUR LES DECKINGS

Owatrol vous propose des produits Made In France, pour décaper, dégriser, rénover et embellir vos terrasses et bardages en bois. Plus que de simple produits nous vous proposons des solutions complètes de la préparation à l'entretien.



AQUANETT® (NET-TROL 400)

DÉSHUILEUR GÉLIFIÉ - TOUS BOIS

Élimine en profondeur toutes les huiles noircies. Permet une décontamination totale du support.



NET-TROL® (NET-TROL 200)

DÉGRISSEUR NEUTRALISANT
GÉLIFIÉ - TOUS BOIS

Redonne au bois grisé sa couleur d'origine.
Élimine les traces résiduelles.



AQUADECKS

SATURATEUR MAT

Excellent résistance aux intempéries.
Maintenance sans ponçage ni décapage.


Polytol Paints

HEAD OFFICE

RICHE TERRE

Baie du Tombeau Rd, Riche Terre
Tel: 249 12 99 / 14 99 | Fax: 248 39 88
Email: info@polytolpaints.com

www.polytolpaints.com

 PolytolPaints



SHOWROOMS

PORT LOUIS

93, Royal Street, Port Louis
Tel: 240 36 80 | Fax: 217 07 57
Email: showroompl@polytolpaints.com

BELLE ROSE

41, Royal Road, Belle Rose
Tel: 463 14 60
Email: showroombr@polytolpaints.com

CUREPIPE

292A, Royal Road, Forest Side
Tel: 670 45 27
Email: showroomcp@polytolpaints.com

SAINT PAUL

Royal Road, St. Paul
Tel: 605 46 60
Email: showroomsp@polytolpaints.com

FLACQ

Royal Road, Boulet Rouge
Tel: 420 21 91
Email: showroomfq@polytolpaints.com

BEAU BASSIN

319, Royal Road, Chebel
Tel: 455 33 49
Email: showroombb@polytolpaints.com



Polydéco

Polybois

OWATROL

//// TERRACO

